

PRODUCT CATALOGUE

GENERAL PRACTITIONER (GP)

VENDOR NUMBER:

CSD: mAAA0020352/LIFE: 558SUR120/MEDICLINIC: 218556

LICENCE TO MANUFACTURE SAHPRA 00002058MD

LICENCE TO WHOLESALE SAHPRA 00001974M

ISO 13485:2016

ISO 9001:2015



Equipment



ELECTROCARDIOGRAPH

- Lead: standard 12-lead
- Colorful HD Display screen
- Powerful data management
- Record mode: auto, rhythm and manual record
- Measurement parameters: HR, PR Interval, P Duration, QRS Duration, T Duration, QT/ QTc Interval, P/QRS /T Axis, R(V5), S(V1), R(V5)+S(V1) amplitude



CAUTERY / ELECTROSURGICAL UNIT

- Max output power CUT 50W – 400Ω
- Max output power CUT 1 45W – 400Ω
- Max output power CUT 2 40W – 400Ω
- Max output power COAG 40W – 400Ω
- Working frequency 600 kHz
- Patient circuit F
- Selectable input voltage 115/230 Vac
- Mains frequency 50-60 Hz
- Electrical input power 280 VA
- Size WxHxD 190x85x239 mm
- Weight 2,5 Kgs



EXAMINATION LAMP

- Mobile
- Metal steering head make direction more flexible
- 360 degree free position with PVC coating
- Brightness control, Various mounting option available



PC-900

- 3.5 inch high resolution LCD display of SpO2/ECG waveform
- Table top design with user friendly operation
- Upto 12000 groups of NIBP, 2000 groups SpO2 and event record
- Historic data records can be reviewed in waveform, list or trend graph
- Data export and software upgrading can be done by USB cable
- Flexible configurations among SpO2, NIBP, TEMP
- SunTech NIBP and Infrared ear probe available
- Optional ECG



KC10 PATIENT MONITOR

- 10.4" high resolution display Touch screen
- Large capacity: 12000 NIBP records; 2000h trends; 2000 events
- Standard configuration: SpO2, PR, NIBP, ECG, RESP, TEMP
- Accessory Holder



DIAGNOSTIC SET

- Wall mounted
- Comes Standard with Two Diagnostic Handles
- Spiral Cords Expandable up to 3 meter
- Preheated probe tip and sensor
- Dual scale dial face provides unmatched accuracy
- Reusable Ear Specula - 2.7mm & 4.2mm, 35 pieces each, Specula Dispenser-Tip Dispenser for all Specifications of Ear Specula


VACCINE FRIDGE - 85L

- High / Low temperature alarm
+2°C to +8°C
- 3 Adjustable shelves
- Dimensions : 975mm (H) x 620mm (W) x 585mm (D)


UV STERILIZERS

- 15W UV Sterilizer


AED's

- Complete with Adult pads and Carrycase


SUCTION UNITS

- Portable
- Pumping rate $\geq 15\text{L/Min}$
- Liquid storage bottle $\geq 1000\text{mL}$
- Noise: $\leq 65\text{dB}$
- No battery


PATIENT STANDING SCALE

- With Height Pole
- Bright Red LED Display
- Height Rod up to 2100mm
- Capacity : 300kg x 100g


BATHROOM SCALE - DIGITAL

- 4 Digits LED
- Auto Shut Off
- Capacity : 180kg x 100g


PULSE OXIMETER

- Adult or Child Finger Pulse Oximeter
- Displays Saturation and HR


X-RAY VIEWING BOX

- Epoxy Coated light box for viewing X-Rays


UPPER ARM NIBP

- Fully automatic one-touch operation
- Real Fuzzy Logic measuring technology
- Digital LCD display calibrated from 0mmHg to 280mmHg
- Pulse; 40-199 beats/minute
- 105(W) x 75mm(H)



SYRINGE PUMP

- Rate mode, time mode, dose mode
- Compatible with 5ml/10ml/20ml/30ml/50ml standard syringes as open system
- Drug library (optional)
- Optional nurse call alarm



STETHOSCOPES

- Provides high acoustic sensitivity combined with exceptional versatility
- Its innovative design offers a tunable, single-piece diaphragm on each side of the chestpiece



PLASTER SAW

- New design
- Power output 180 wttts
- Voltage 220, 20Hz
- Oscillating rate 22 000/min
- Durable and robust
- Compact & lightweight
- Net weight 1.1 kg



REFURBISHED ULTRASOUND MACHINES

- Various models available: Samsung; Philips; GE; Toshiba; Aloka; Medison; Terason; Contec
- Check www.sonarshop.co.za for more info



BASIC ULTRASOUND MACHINES

- Full Digital Technology
- Dynamic aperture technology
- 12.1 inch LED color screen
- Probe automatic identification
- 256 images memory
- USB 2.0 interface



Equipment

Your ultimate destination for premium healthcare furniture solutions. At SurgiClin, we take pride in offering a comprehensive range of innovative and top-quality medical furniture tailored to meet the unique needs of modern healthcare facilities. Whether you're seeking cutting-edge surgical tables, comfortable patient recliners, or functional storage solutions, our catalogue showcases a diverse selection of products designed to enhance patient care, improve workflow efficiency, and create a conducive environment for healthcare professionals.

TROLLEYS



DRESSING TROLLEY

- Stainless Steel
- Sizes: Small, Medium, Large
- Stainless shelves
- 10mm Chrome plated guard rail
- 4 x 75mm castors
- 610mm wide



INSTRUMENT TROLLEY

- Epoxy Coated
- Sizes: Small, Medium, Large
- Chrome plated caps
- Stainless shelves
- 4 x 75mm castors
- 610mm wide



EMERGENCY TROLLEY

- F5-1 Emergency Drug Trolley
- 2 drawers and cupboard
- Cardiac board
- Infusion stand
- Oxygen bottle holder
- Sliding top with drug compartments
- Lower cupboard Size (L)
- 860 mm x 580 mm x 1040 mm



TWO DRAWER DRESSING TROLLEY

- Epoxy Coated
- Epoxy coated mild steel trolley and drawers
- Stainless steel shelf
- 10mm chrome plated guard rail



ANAESTHETIC TROLLEY

- Epoxy Coated
- Single pull-out lockable drawer
- Stainless shelf
- Chrome plated guard rail
- 4 x 75mm castors



FOOT / OPERATION STOOLS



Double Step Foot Stool

- Stainless Steel
- Mild steel Epoxy coated
- Non-slip rubber top with aluminium edging
- 4x ferrules
- 510 x 660 x 460 mm



Single Step Foot Stool

- Stainless Steel
- Mild steel Epoxy coated, Nonslip rubber top with aluminium edging,
- 4x ferrules



Mobile Anaesthetic/Operation Stool

- F36-4 Mobile Anaesthetic/Operation stool
- Stainless steel construction
- Mounted on 5 x 50mm castors
- Upholstered padded seat
- Moulded backrest Height adjustable by means of a heavy duty GAS SPRING
- Dimensions; height from 460mm to 600mm)



Mobile Anaesthetic/Operation Stool

- F 36-3 Mobile Anaesthetic/Operation stool
- Stainless steel construction
- Mounted on 5 x 50mm castors
- Upholstered padded seat
- Height adjustable by means of a heavy duty GAS SPRING
- Dimensions; height from 460mm to 600mm)



EXAM COUCHES | STRETCHERS | BED SCREENS



EXAM COUCH WITH BREATHING HOLE

- High / Low temperature alarm +2°C to +8°C
- 3 Adjustable shelves
- Dimensions : 975mm (H) x 620mm (W) x 585mm (D)



EXAM COUCH

- Epoxy coated
- 5x 50mm swivel castors
- Adjustable T-Rod 1300 - 2000mm height



BED SCREEN

- Three, Four or Five Panels

CABINETS



LARGE POISON CABINET

- Epoxy coated
- Lockable door with inside shelf



LARGE DEADLY DRUG CABINET

- Epoxy coated
- Lockable door with inside shelf
- Schedule 7 lockable drug cabinet inside



DOUBLE DOOR DRUG CABINET

- Epoxy Coated
- One fixed shelf
- One adjustable shelf
- Lockable door
- Lockable drug cabinet inside



INSTRUMENT CABINET

- Epoxy Coated

DRIP STANDS | BOWL STANDS



5 LEG MOBILE DRIP STAND

- High / Low temperature alarm +2°C to +8°C
- 3 Adjustable shelves
- Dimensions : 975mm (H) x 620mm (W) x 585mm (D)



CUSTOM MADE MOBILE DRIP STAND

- Epoxy coated
- 5x 50mm swivel castors
- Adjustable T-Rod 1300 - 2000mm height



SINGLE BOWL STAND

- Three, Four or Five Panels



DOUBLE BOWL STAND

- Epoxy coated
- Lockable door with inside shelf



Consumables



PLASTIC SPECULUMS

- Sizes Available: Small, Medium, Large
- Various models available



STEEL SPECULUMS

- Sizes Available: Small, Medium, Large
- Various models available




SMEAR BRUSH

- Perfect for hypertrophic cervixes, collects samples from ectocervix and canal
- Flexible and dense bristles ensure great material adhesion
- 20,5 cm long handle



ESU PATIENT GROUNDING PLATE

- Available with different machine connectors
- Monopolar and Bipolar available



LOOP ELECTRODE

- Used to remove tissue using a wire electrosurgical loop where the current excises the tissue and cauterises the area
- Made of high-quality Tungsten wire



FINGER SWITCH PENCIL

- Rocker-Switch Pencil • Single use
- Various models available



DENTAL SYRINGE

- Dental Syringe also used by dentists for the injection of an anesthetic
- It consists of a breech-loading syringe fitted with a sealed cartridge containing anesthetic solution



Consumables



ECG ELECTRODES

- Sticky consistency
- Non-dripping or running off
- Shelf life 5 years
- Used within 28 days



SONAR GEL

- Sticky consistency
- Non-dripping or running off
- Shelf life 5 years
- Used within 28 days



SONAR PRINTER PAPER

- Print quality: 104 prints / A7 prints
- Paper size: 84mm (W) x 12.5m
- Sold per roll • S; HG or HD




SERVICE AND CALIBRATION

SURGI-CLIN has a workshop equipped with the latest technology and qualified engineers and technicians being responsible for the maintenance of all medical equipment. Our professional expertise enables us to provide quality advice and guidance, which effectively controls cost, eliminates waste and maximizes efficiency.

Description
DEFIBRILLATORS MULTI PARAMETER
DEFIBRILLATORS WITH PACING
DEFIBRILLATOR WITH CO2
AED
ECG MACHINES
ELECTROSURGICAL UNITS
HYFRECATORS
BLOOD PRESURE MONITORS
PULSE OXIMETERS
MULTI PARAMETER MONITORS
ULTRASOUND UNITS
LUNGFUNCTION UNITS
FETAL MONITORS
INFUSION AND SYRINGE PUMPS
AUTOCLAVES (DESKTOP)
MANUAL/HYDROLIC THEATRE TABLES
ELECTRIC THEATRE TABLES
TOURNIQUETTE
LIGHTSOURCE UNIT
THEATRE LIGHTS
CENTRIFUGES
PHOTOTHERAPY LIGHTS
EXAMINATION LAMPS
PLASTER CUTTERS
NEBULIZER
FLUID WARMERS
VISION SCREEN / TESTER
BAIR HUGGER / PATIENT WARMER
ELECTRONIC SUCTION UNITS
WALLMOUNT ENT UNITS
WALLMOUNT BLOOD PRESSURE UNITS
OXYGEN REGULATORS
OXYGEN FLOWMETERS
THERMOMETERS ELECTRONIC
THERMOMETERS MERCURY
TREADMILLS
EXERCISE CYCLE
HYDRAULIC / MECHANICAL PATIENT BEDS
ELECTRICAL PATIENT BEDS

Description
PATIENT HOISTS / HYDRAULIC
ELECTRICAL PATIENT HOIST
BED PAN WASHING UNITS
OMRON / WRIST TYPE BP MONITORS
TRANSPORT VENTILATOR

- Above Service Procedures Consist of Operational Testing
 - According to Specifications
 - Certification and Calibration of all units
 - Making use of the latest in analysing and testing equipment.
-
- For our complete list of consumables please visit our website



Sales, Service and Repair of Medical equipment



Tel: 012 807 4587
Fax: 086 514 0471
Mail: admin@surgiclin.co.za

Contact Us



KGS CERTIFICATION SDN. BHD.
ISO 9001:2015 Certified

ISO 9001:2015



KGS CERTIFICATION SDN. BHD.
ISO 13485:2016 Certified

ISO 13485:2016